



Pushing Performance

# HARTING Han-Eco® Series



## Transforming customer wishes into concrete solutions



The HARTING Technology Group is skilled in the fields of electrical, electronic and optical connection, transmission and networking, as well as in manufacturing, mechatronics and software creation. The Group uses these skills to develop customized solutions and products such as connectors for energy and data transmission applications including, for example, mechanical engineering, rail technology, wind energy plants, factory automation and the telecommunications sector. In addition, HARTING also produces electro-magnetic components for the automobile industry and offers solutions in the field of Enclosures and Shop Systems.

The HARTING Group currently comprises 36 subsidiary companies and worldwide distributors employing a total of approx. 3,400 staff.



We aspire to top performance.

Connectors ensure functionality. As core elements of electrical and optical wiring, connection and infrastructure technologies, they are essential in enabling the modular construction of devices, machines and systems across a very wide range of industrial applications. Their reliability is a crucial factor guaranteeing smooth functioning in the manufacturing area, in telecommunications, applications in medical technology – in fact, connectors are at work in virtually every conceivable application area. Thanks to the consistent further development of our technologies, customers enjoy investment security and benefit from durable, long term functionality.

Always at hand, wherever our customers may be.

Increasing industrialization is creating growing markets characterized by widely diverging demands and requirements. The search for perfection, increasingly efficient processes and reliable technologies is a common factor in all sectors across the globe.

HARTING is providing these technologies – in Europe, America and Asia. The HARTING professionals at our international subsidiaries engage in close, partnership based interaction with our customers, right from the very early product development phases, in order to realize customer demands and requirements in the best possible manner.

Our people on location form the interface to the centrally coordinated development and production departments. In this way, our customers can rely on consistently high, superior product quality – worldwide.

Our claim: Pushing Performance.

HARTING provides more than optimally attuned components. In order to serve our customers with the best possible solutions, HARTING is able to contribute a great deal more and play a closely integrative role in the value creation process.

From ready assembled cables through to control racks or ready-to-go control desks: Our aim is to generate the maximum benefits for our customers – without compromise!

Quality creates reliability – and warrants trust.

The HARTING brand stands for superior quality and reliability – worldwide. The standards we set are the result of consistent, stringent quality management that is subject to regular certifications and audits.

EN ISO 9001, the EU Eco-Audit and ISO 14001:2004 are key elements here. We take a proactive stance to new requirements, which is why HARTING ranks among the first companies worldwide to have obtained the new IRIS quality certificate for rail vehicles.



HARTING technology creates added value for customers. Technologies by HARTING are at work worldwide. HARTING's presence stands for smoothly functioning systems, powered by intelligent connectors, smart infrastructure solutions and mature network systems. In the course of many years of close, trust-based cooperation with its customers, the HARTING Technology Group has advanced to one of the worldwide leading specialists for connector technology. Extending beyond the basic functionalities demanded, we offer individual customers specific and innovative solutions. These tailored solutions deliver sustained effects, provide investment security and enable customers to achieve strong added value.

Opting for HARTING opens up an innovative, complex world of concepts and ideas.

In order to develop connectivity and network solutions serving an exceptionally wide range of connector applications and task scopes in a professional and cost optimized manner, HARTING not only commands the full array of conventional tools and basic technologies. Over and beyond these capabilities, HARTING is constantly harnessing and refining its broad base of knowledge and experience to create new solutions that ensure continuity at the same time. In securing this know-how lead, HARTING draws on a wealth of sources from both in-house research and the world of applications alike.

Salient examples of these sources of innovative knowledge include microstructure technologies, 3D design and construction technology, as well as high temperature

or ultrahigh frequency applications that are finding use in telecommunications or automation networks, in the automotive industry, or in industrial sensor and actuator applications, RFID and wireless technologies, in addition to packaging and housing made of plastics, aluminum or stainless steel.

HARTING solutions extend across technology boundaries. Drawing on the comprehensive resources of the group's technology pool, HARTING devises practical solutions for its customers. Whether this involves industrial networks for manufacturing automation, or hybrid interface solutions for wireless telecommunication infrastructures, 3D circuit carriers with microstructures, or cable assemblies for high-temperature applications in the automotive industry – HARTING technologies offer far more than components, and represent mature, comprehensive solutions attuned to individual customer requirements and wishes. The range covers ready-to-use cable configurations, completely assembled backplanes and board system carriers, as well as fully wired and tested control panels.


In order to ensure the future proof design of RF- and EMC-compatible interface solutions, the central HARTING laboratory (certified to EN 45001) provides simulation tools, as well as experimental, testing and diagnostics facilities all the way through to scanning electron microscopes. In the selection of materials and processes, lifecycle and environmental aspects play a key role, in addition to product and process capability considerations.




HARTING knowledge is practical know-how generating synergy effects.

HARTING commands decades of experience with regard to the applications conditions of connectors in telecommunications, computer and network technologies and medical technologies, as well as industrial automation technologies, such as the mechanical engineering and plant engineering areas, in addition to the power generation industry or the transportation sector. HARTING is highly conversant with the specific application areas in all of these technology fields.

The key focus is on applications in every solution approach. In this context, uncompromising, superior quality is our hallmark. Every new solution found will invariably flow back into the HARTING technology pool, thereby enriching our resources. And every new solution we go on to create will draw on this wealth of resources in order to optimize each and every individual solution. In this way, HARTING is synergy in action.




## Smart Network Infrastructure



**INTELLIGENT NETWORK SOLUTIONS**  
 With its product series Ha-VIS, HARTING offers a consistent range of Ethernet network components and cabling products, which from the communication platform of convergent

automation IT networks. Under Ha-VIS HARTING offers fully integrated RFID solutions.


## Installation Technology



**INDUSTRIAL CONNECTORS Han®**  
 This catalogue documents the worldwide standard for industrial connectors. Han® connectors represent the preferential solution in the cable-to-cable interconnection of data, signal and power applications operating under the most

demanding conditions and meeting stringent requirements with regard to safe and detachable electrical connections with high degree of protection IP 65 / IP 67. Installations making use of Han® connectors impress with their rugged design, convenient handling and modularity of data, signal and power connections. Han® connectors represent the worldwide standard in industry, railway technology, as well as in power generation and distribution.

## Device Connectivity



**DEVICE CONNECTIVITY**  
 The Device Connectivity catalogue provides a universal, innovative product portfolio of PCB connections and of termination technology. The product range comprises board-to-board and cable-to-board connectors for industrial electronic devices with

degree of protection IP 20 to IP 65 / IP 67. These HARTING solutions offer appropriate device connectivity for a wide range of devices, ranging from sensors to industrial computers and their respective data, signal and power interfaces.

Contents	Page
Description of the Han-Eco® system . . . . .	<b>8</b>
Technical characteristics Han-Eco® Hoods/Housings . . . . .	<b>9</b>
Han-Eco® Hoods/Housings 6 B . . . . .	<b>10</b>
Han-Eco® Hoods/Housings 10 B . . . . .	<b>14</b>
Han-Eco® Hoods/Housings 16 B . . . . .	<b>18</b>
Han-Eco® Hoods/Housings 24 B . . . . .	<b>22</b>
Han-Eco® Accessories . . . . .	<b>26</b>
Summary Han-Modular® . . . . .	<b>27</b>
HARTING eCatalogue . . . . .	<b>31</b>

## Description of the Han-Eco® system



Han-Eco® – a new hood and housing series made of thermoplastic material.

Han-Eco® is the ideal solution for applications that do not require the full range of product features offered by the Han® B series of hoods and housings, and users want to take advantage of the weight and cost advantages.

Like the Han® B standard series, the Han-Eco® series is available in the following sizes: 6 B, 10 B, 16 B and 24 B. Depending on size, versions of the hoods with straight or angled entries and housings, bulkhead mounting, can be supplied. The cable exits are available with metric threading, a cable gland is implemented. For housing sizes 6 B and 10 B size of the cable gland is M32, for 16 B and 24 B cable gland M40 is used.

Han-Eco® hoods and housings are made of high-performance plastic that is highly resistant to environmental stress and – in combination with the design - provides very good mechanical stability. When the connector is closed and locked, it provides degree of protection IP 65 as defined in DIN EN 60 529. The material also meets demanding flammability requirements of UL 94 Class V 0.

Fast, simple assembly is another outstanding product feature. Click-and-mate design totally eliminates the need for tools during assembly of the Han-Eco® hoods and housings.


The Han-Eco® hoods and housings is compatible with the range of modules from the Han-Modular® series. One extra module fits into the Han-Eco® hoods and housing compared to the equivalent product in the Han® B Standard series. This special feature applies to all four sizes.

A optional PE module has been developed specifically for the Han-Eco® hoods and housings to hold the protective ground conductor.

### Advantages:

- Weight reduction combined with mechanical strength
- Fast assembly process without tools
- Highly resistant to environmental stress, suitable for use in outdoor applications
- Complete range of modules from Han-Modular® series usable (with exception of modules with imperative guiding pins [male and female])

### Assembly details



## Features

- Available in sizes 6 B, 10 B, 16 B and 24 B including integrated cable glands
- Capable for applications according protection class II
- Same panel cut out as Han® B housings, bulkhead mounting
- Optional PE contact module for hold the protective ground conductor
- Not mating compatible with series Han® B
- New hoods/housings series made of thermoplastic material with excellent mechanical properties and high resistance against environmental influence
- Weight and cost optimised
- Quick assembly without screws and tools („click and mate“)
- One extra module fits into the Han-Eco® hoods/housings compared to equivalent size of Han® B series




## Technical characteristics

Specifications DIN EN 61 984





### Hoods/Housings

Material	
- Hoods/Housings	Polyamide, fibre-glass reinforced
- Locking element	Polyamide, fibre-glass reinforced
- Hoods/Housings seal	NBR / FPM
Limiting temperatures	-40 °C ... +125 °C
Flammability	
- acc. to UL 94	V 0
- acc. to NFF 16 101 / 16 102	F2 / I3
Degree of protection acc. to DIN EN 60 529	
for coupled connector	IP 65


Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Hood with integrated cable gland</p> <p>side entry</p> 	<p><b>19 41 106 0522</b></p>	<p>M32</p>		
<p>Hood with integrated cable gland</p> <p>top entry</p> 	<p><b>19 41 106 0422</b></p>	<p>M32</p>		
<p>Protection covers for hoods</p> 	<p><b>19 41 006 5406</b></p>			





Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<b>19 41 006 0301</b>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<b>19 41 106 0232</b>	M32		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<b>19 41 106 0272</b>	2x M32		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<b>19 41 106 0722</b>	M32		




Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Protection covers for housings</p> 	<p><b>19 41 006 5405</b></p>			





Plastic hoods/housings for outdoor applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<b>19 41 206 0301</b>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<b>19 41 306 0232</b>	M32		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<b>19 41 306 0272</b>	2x M32		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<b>19 41 306 0722</b>	M32		


Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Hood with integrated cable gland</p> <p>side entry</p> 	<p><b>19 41 110 0522</b></p>	<p>M32</p>		
<p>Hood with integrated cable gland</p> <p>top entry</p> 	<p><b>19 41 110 0422</b></p>	<p>M32</p>		
<p>Protection covers for hoods</p> 	<p><b>19 41 010 5406</b></p>			





Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<b>19 41 010 0301</b>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<b>19 41 110 0232</b>	M32		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<b>19 41 110 0272</b>	2x M32		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<b>19 41 110 0722</b>	M32		




## Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Protection covers for housings</p> 	<p><b>19 41 010 5405</b></p>			





Plastic hoods/housings for outdoor applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<b>19 41 210 0301</b>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<b>19 41 310 0232</b>	M32		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<b>19 41 310 0272</b>	2x M32		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<b>19 41 310 0722</b>	M32		

Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Hood with integrated cable gland</p> <p>side entry</p> 	<b>19 41 116 0523</b>	M40		
<p>Hood with integrated cable gland</p> <p>top entry</p> 	<b>19 41 116 0423</b>	M40		
<p>Protection covers for hoods</p> 	<b>19 41 016 5406</b>			

Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<p><b>19 41 016 0301</b></p>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<p><b>19 41 116 0233</b></p>	<p>M40</p>		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<p><b>19 41 116 0273</b></p>	<p>2x M40</p>		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<p><b>19 41 116 0723</b></p>	<p>M40</p>		


Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
----------------	-------------	-------------	---------	------------------





Protection covers for housings






**19 41 016 5405**







Plastic hoods/housings for outdoor applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<p><b>19 41 216 0301</b></p>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<p><b>19 41 316 0233</b></p>	<p>M40</p>		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<p><b>19 41 316 0273</b></p>	<p>2x M40</p>		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<p><b>19 41 316 0723</b></p>	<p>M40</p>		

Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Hood with integrated cable gland</p> <p>side entry</p> 	<p><b>19 41 124 0523</b></p>	<p>M40</p>		
<p>Hood with integrated cable gland</p> <p>top entry</p> 	<p><b>19 41 124 0423</b></p>	<p>M40</p>		
<p>Protection covers for hoods</p> 	<p><b>19 41 024 5406</b></p>			

Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<p><b>19 41 024 0301</b></p>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<p><b>19 41 124 0233</b></p>	<p>M40</p>		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<p><b>19 41 124 0273</b></p>	<p>2x M40</p>		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<p><b>19 41 124 0723</b></p>	<p>M40</p>		


Plastic hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
----------------	-------------	-------------	---------	------------------





Protection covers for housings



**19 41 024 5405**



Plastic hoods/housings for outdoor applications / 2 lever locking system

Identification	Part number	Cable entry	Drawing	Dimensions in mm
<p>Housings, bulkhead mounting</p> 	<b>19 41 224 0301</b>			
<p>Housings, surface mounting, with integrated cable gland side entry</p> 	<b>19 41 324 0233</b>	M40		
<p>Housings, surface mounting, with integrated cable gland side entries</p> 	<b>19 41 324 0273</b>	2x M40		
<p>Hoods, cable to cable, with integrated cable gland top entry</p> 	<b>19 41 324 0723</b>	M40		

Identification	Part number	Drawing	Dimensions in mm
<b>Han-Eco® PE contact module with Screw terminal</b> Termination wire gauge 1,5 mm² ... 16 mm²			
Male insert	<b>19 41 001 2600</b>		
Female insert	<b>19 41 001 2700</b>		
<b>Han-Eco® Reduction sealing insert</b>			
Size M32	<b>19 41 000 5132</b>		
Size M40	<b>19 41 000 5142</b>		
<b>Removal tool Han-Eco®</b> 	<b>09 99 000 0331</b>		

Series	Han® 100 A Axial module	Han® 100 A Crimp module	Han® 70 A Axial module	Han® 40 A Axial module
Number of contacts	2	2	2	2
Modules	Axial screw terminal 	Crimp terminal 	Axial screw terminal 	Axial screw terminal 
Rated current	100 A	100 A	70 A	40 A
Rated voltage	1000 V	1000 V	1000 V	1000 V
Wire gauge	10 ... 38 mm <sup>2</sup>	10 ... 35 mm <sup>2</sup>	6 ... 22 mm <sup>2</sup>	2,5 ... 10 mm <sup>2</sup>
Series	Han® 40 A Crimp module	Han® C Axial module	Han® C module	Han® CC Protected module
Number of contacts	2	3	3	4
Modules	Crimp terminal 	Axial screw terminal 	Crimp terminal 	Crimp terminal 
Rated current	40 A	40 A	40 A	40 A
Rated voltage	1000 V	690 V	400 / 690 V	830 V
Wire gauge	1,5 ... 10 mm <sup>2</sup>	2,5 ... 10 mm <sup>2</sup>	1,5 ... 10 mm <sup>2</sup>	1,5 ... 6 mm <sup>2</sup>
Series	Han® CD module	Han E® module	Han® EE module	Han® EE Quick Lock module
Number of contacts	3	6	8 /	8
Modules	Crimp terminal 	Crimp terminal 	Crimp terminal 	Quick Lock termination 
Rated current	40 A	16 A	16 A	16 A
Rated voltage	830 V	500 V	400 V	400 V
Wire gauge	1,5 ... 6 mm <sup>2</sup>	0,14 ... 4 mm <sup>2</sup>	0,14 ... 4 mm <sup>2</sup>	0,5 ... 2,5 mm <sup>2</sup>
Series	Han E® Protected module	Han® EEE module	Han® ES module	Han® HV module
Number of contacts	6	20	5	2
Modules	Crimp terminal 	Crimp terminal 	Cage-clamp terminal 	Crimp terminal 
Rated current	16 A	16 A	16 A	16 A
Rated voltage	830 V	500 V	400 V	2900 / 5000 V
Wire gauge	0,14 ... 4 mm <sup>2</sup>	0,14 ... 4 mm <sup>2</sup>	0,14 ... 2,5 mm <sup>2</sup>	0,5 ... 4 mm <sup>2</sup>

Series	Han® HV module	Han DD® module	Han DD® Quick Lock module	Han® DDD module
Number of contacts	2	12	12	17
Modules	Crimp terminal	Crimp terminal	Quick Lock termination	Crimp terminal
Rated current	40 A	10 A	10 A	10 A
Rated voltage	2900 / 5000 V	250 V	250 V	160 V
Wire gauge	1,5 ... 10 mm <sup>2</sup>	0,14 ... 2,5 mm <sup>2</sup>	0,25 ... 1,5 mm <sup>2</sup>	0,14 ... 2,5 mm <sup>2</sup>

Series	Han® High Density module	Han® D-Sub module		
Number of contacts	25	9		
Modules	Crimp terminal	Crimp terminal		
Rated current	4 A	5 A		
Rated voltage	50 V	50 V		
Wire gauge	0,08 ... 0,52 mm <sup>2</sup>	0,08 ... 0,52 mm <sup>2</sup>		

Series	Han® USB module	Han® FireWire module	Han® RJ45 module	Han® GigaBit module
Number of contacts	4	6	8	8
Modules	USB 2.0	IEEE 1394	Ethernet Cat. 6	Ethernet Cat. 6

Series	Han-Quintax® module			
Number of contacts	2			
Modules				
Contacts	Han-Quintax® contact 4 + shielding	High Density Quintax contact 8 + shielding	Han D® Coax contact 75 Ω 1 + shielding	Han E® Coax contact 50 Ω 1 + shielding
			75 Ω	50 Ω

Series	Han® SC module	Han-Elisa®	Han® Dummy module	
Number of contacts	4			
Modules				
Contacts	SC contact for GI 50; 62,5 / 125 µm 	Temperature I/O modules ID module		

Part No.	Page						
09 99 000 0331	26	19 41 016 0301	19	19 41 116 0233	19	19 41 224 0301	25
		19 41 016 5405	20	19 41 116 0273	19		
		19 41 016 5406	18	19 41 116 0423	18		
				19 41 116 0523	18	19 41 306 0232	13
19 41 000 5132	26	19 41 024 0301	23	19 41 116 0723	19	19 41 306 0272	13
19 41 000 5142	26					19 41 306 0722	13
		19 41 024 5405	24	19 41 124 0233	23		
		19 41 024 5406	22	19 41 124 0273	23		
19 41 001 2600	26			19 41 124 0423	22	19 41 310 0232	17
19 41 001 2700	26	19 41 106 0232	11	19 41 124 0523	22	19 41 310 0272	17
		19 41 106 0272	11	19 41 124 0723	23	19 41 310 0722	17
		19 41 106 0422	10				
19 41 006 0301	11	19 41 106 0522	10	19 41 206 0301	13	19 41 316 0233	21
19 41 006 5405	12	19 41 106 0722	11			19 41 316 0273	21
19 41 006 5406	10					19 41 316 0723	21
		19 41 110 0232	15	19 41 210 0301	17		
19 41 010 0301	15	19 41 110 0272	15			19 41 324 0233	25
		19 41 110 0422	14			19 41 324 0273	25
19 41 010 5405	16	19 41 110 0522	14	19 41 216 0301	21	19 41 324 0723	25
19 41 010 5406	14	19 41 110 0722	15				

You can find the **HARTING eCatalogue** at [www.HARTING.com](http://www.HARTING.com).

The **HARTING eCatalogue** is an electronic catalogue with a product configurator. Here you can choose a connector according to your requirements. Afterwards you are able to send your inquiry directly to a HARTING sales partner. The drawings to every single part are available in PDF format. The parts are downloadable in 2D format (DXF) and 3D format (IGES, STEP). The 3D models can be viewed with a VRML-viewer.

## Product configurator

Please send me further information:




**Interface Connectors**



**Device Connectivity**



**Industrial Connectors Han®**



**Connectors  
DIN 41612**



**Intelligent Network  
Solutions**




**Coaxial and Metric  
Connectors**



**Application  
brochure**



**TCA Connectors**



**High Speed  
Backplanes**

Sender:

Company: \_\_\_\_\_

Department: \_\_\_\_\_

Name: \_\_\_\_\_

Prenome: \_\_\_\_\_

Function: \_\_\_\_\_

Street: \_\_\_\_\_

Postcode/Town: \_\_\_\_\_


Country: \_\_\_\_\_

Phone: \_\_\_\_\_

Fax: \_\_\_\_\_

E-Mail: \_\_\_\_\_

***Please send it by post or fax to your local HARTING representatives (see page addresses) or visit us under [www.HARTING.com](http://www.HARTING.com).***



- Tochtergesellschaft / Local subsidiary
- Fertigungsstätte / Production Plant
- F & E / R & D

## Sales Network – worldwide



### Albania

see Eastern Europe

### Argentina

Condelectric S.A.  
Hipólito Yrigoyen 2591, 1640 - Martínez  
Buenos Aires – Argentina  
Phone +54 11 4836 1053  
Fax +54 11 4836 1053  
comercial@condelectric.com.ar

### Armenia

see Eastern Europe

### Australia

HARTING Pty Ltd  
Suite 11 / 2 Enterprise Drive  
Bundoora 3083, AUS-Victoria  
Phone +61 3 9466 7088  
Fax +61 3 9466 7099  
au@HARTING.com  
www.HARTING.com.au

### Austria

HARTING Ges.m.b.H.  
Deutschstraße 19, A-1230 Wien  
Phone +431 6162121  
Fax +431 6162121-21  
at@HARTING.com  
www.HARTING.at

### Azerbaijan

see Eastern Europe

### Bahrain

see United Arab Emirates

### Belarus

see Eastern Europe

### Belgium

HARTING N.V./S.A.  
Z.3 Doornveld 23, B-1731 Zellik  
Phone +32 2 466 0190  
Fax +32 2 466 7855  
be@HARTING.com  
www.HARTING.be

### Bosnia and Herzegovina

see Eastern Europe

### Brazil

HARTING Ltda.  
Rua Major Paladino 128; Prédio 11  
CEP 05307-000 São Paulo  
SP – Brazil  
Phone +55 11 5035 0073  
Fax +55 11 5034 4743  
br@HARTING.com  
www.HARTING.com.br

### Brunei

see Singapore

### Bulgaria

see Eastern Europe

### Canada

HARTING Canada Inc.  
8455 Trans-Canada Hwy., Suite 202  
St. Laurent, QC, H4S1Z1, Canada  
Phone 855-659-6653  
Fax 855-659-6654  
info.ca@HARTING.com  
www.HARTING.ca

### China

HARTING (Zhuhai) Manufacturing Co. Ltd.  
Shanghai Branch Office  
Room 5403, HK New World Tower  
300 Huai Hai Road (M.), Luwan District  
Shanghai 200021, China  
Phone +86 21 6386 2200  
Fax +86 21 6386 8636  
cn@HARTING.com  
www.HARTING.com.cn

### Croatia

see Eastern Europe

### Czech Republic

HARTING s.r.o.  
Mlýnská 2, CZ-160 00 Praha 6  
Phone +420 220 380 460  
Fax +420 220 380 461  
cz@HARTING.com  
www.HARTING.cz

### Denmark

HARTING ApS  
Hjulgagervej 4a  
DK - 7100 Vejle  
Phone +45 70 25 00 32  
Fax +45 75 80 64 99  
dk@HARTING.com  
www.HARTING.com

## Eastern Europe

HARTING Eastern Europe GmbH  
Bamberger Straße 7  
D-01187 Dresden  
Phone +49 351 4361 760  
Fax +49 351 436 1770  
Eastern.Europe@HARTING.com  
www.HARTING.com

## Estonia

see Eastern Europe

## Finland

HARTING Oy  
Teknobulevardi 3-5  
FI-01530 Vantaa  
Phone +358 207 291 510  
Fax +358 207 291 511  
fi@HARTING.com  
www.HARTING.fi

## France

HARTING France  
181 avenue des Nations, Paris Nord 2  
BP 66058 Tremblay en France  
F-95972 Roissy Charles de Gaulle  
Cédex  
Phone +33 1 4938 3400  
Fax +33 1 4863 2306  
fr@HARTING.com  
www.HARTING.fr

## Germany

HARTING Deutschland GmbH & Co. KG  
P.O. Box 2451, D-32381 Minden  
Simeons carré 1, D-32427 Minden  
Phone +49 571 8896 0  
Fax +49 571 8896 282  
de@HARTING.com  
www.HARTING-Deutschland.de

## Georgia

see Eastern Europe

## Great Britain

HARTING Ltd., Caswell Road  
Brackmills Industrial Estate  
GB-Northampton, NN4 7PW  
Phone +44 1604 827 500  
Fax +44 1604 706 777  
gb@HARTING.com  
www.HARTING.co.uk

## Hong Kong

HARTING (HK) Limited  
Regional Office Asia Pacific  
3512 Metroplaza Tower 1  
223 Hing Fong Road  
Kwai Fong, N. T., Hong Kong  
Phone +852 2423 7338  
Fax +852 2480 4378  
ap@HARTING.com  
www.HARTING.com.hk

## Hungary

HARTING Magyarország Kft.  
Fehérvári út 89-95, H-1119 Budapest  
Phone +36 1 205 34 64  
Fax +36 1 205 34 65  
hu@HARTING.com  
www.HARTING.hu

## Iceland

Smith & Norland, Nóatún 4  
IS – 105 Reykjavík  
Phone +354 520 3000  
Fax +354 520 3011  
olaf@sminor.is, www.sminor.is

## India

HARTING India Private Limited  
No. D, 4th Floor, 'Doshi Towers'  
No. 156 Poonamallee High Road  
Kilpauk, Chennai 600 010  
Tamil Nadu, India  
Phone +91 44 435604 15 / 416  
Fax +91 44 435604 17  
in@HARTING.com  
www.HARTING.in

## Indonesia

see Malaysia

## Israel

COMTEL  
Israel Electronic Solutions Ltd.  
Bet Hapamon, 20 Hataas st.  
P.O.Box 66  
Kefar-Saba 44425  
Phone +972-9-7677240  
Fax +972-9-7677243  
sales@comtel.co.il  
www.comtel.co.il

## Italy

HARTING SpA  
Via Dell' Industria 7  
I-20090 Vimodrone (Milano)  
Phone +39 02 250801  
Fax +39 02 2650 597  
it@HARTING.com  
www.HARTING.it

## Japan

HARTING K. K.  
Yusen Shin-Yokohama 1 Chome Bldg., 2F  
1-7-9, Shin-Yokohama, Kohoku  
Yokohama 222-0033 Japan  
Phone +81 45 476 3456  
Fax +81 45 476 3466  
jp@HARTING.com  
www.HARTING.co.jp

## Jordan

see United Arab Emirates

## Kazakhstan

see Eastern Europe

## Kirghizia

see Eastern Europe

## Korea (South)

HARTING Korea Limited  
#308 Yatap Leaders Building  
342-1, Yatap-dong, Bundang-gu  
Sungnam-City, Kyunggi-do  
463-828, Republic of Korea  
Phone +82 31 781 4615  
Fax +82 31 781 4616  
kr@HARTING.com  
www.HARTING.co.kr

## Kosovo

see Eastern Europe

## Kuwait

see United Arab Emirates

## Latvia

see Eastern Europe

## Lithuania

see Eastern Europe

## Macedonia

see Eastern Europe

## Malaysia (Office)

HARTING Singapore Pte Ltd  
Malaysia Branch  
11-02 Menara Amcorp  
Jln. Persiaran Barat  
46200 PJ, Sel. D. E., Malaysia  
Phone +60 3 / 7955 6173  
Fax +60 3 / 7955 5126  
sg@HARTING.com

## Montenegro

see Eastern Europe

## Netherlands

HARTING B.V.  
Larenweg 44  
NL-5234 KA ,s-Hertogenbosch  
Postbus 3526  
NL-5203 DM ,s-Hertogenbosch  
Phone +31 736 410 404  
Fax +31 736 440 699  
nl@HARTING.com  
www.HARTINGbv.nl

## New Zealand

see Australia

## Norway

HARTING A/S  
Østensjøveien 36, N-0667 Oslo  
Phone +47 22 700 555  
Fax +47 22 700 570  
no@HARTING.com  
www.HARTING.no

## Oman

see United Arab Emirates

## Pakistan

see United Arab Emirates

## Philippines

see Malaysia



## Poland

HARTING Polska Sp. z o. o.  
ul. Duńska 9  
PL- 54-427 Wrocław  
Phone +48 71 352 81 71  
Fax +48 71 350 42 13  
pl@HARTING.com  
www.HARTING.pl

## Portugal

HARTING Iberia, S. A.  
Avda. Josep Tarradellas 20-30 4º 6ª  
E-08029 Barcelona  
Phone +351 219 673 177  
Fax +351 219 678 457  
es@HARTING.com  
www.HARTING.es/pt

## Qatar

see United Arab Emirates

## Republic of Moldova

see Eastern Europe

## Romania

HARTING Romania SCS  
Europa Unita str. 21  
550018-Sibiu, Romania  
Phone +40 369-102 671  
Fax +40 369-102 622  
ro@HARTING.com  
www.HARTING.com

## Russia

HARTING ZAO  
Maliy Sampsoniyevsky prospect 2A  
194044 Saint Petersburg, Russia  
Phone +7 812 327 6477  
Fax +7 812 327 6478  
ru@HARTING.com  
www.HARTING.ru

## Saudi Arabia

see United Arab Emirates

## Serbia

see Eastern Europe

## Singapore

HARTING Singapore Pte Ltd.  
25 International Business Park  
#04-108 German Centre  
Singapore 609916  
Phone +65 6225 5285  
Fax +65 6225 9947  
sg@HARTING.com  
www.HARTING.sg

## Slovakia

HARTING s.r.o.  
Sales office Slovakia  
J. Simora 5, SK - 940 52 Nové Zámky  
Phone +421 356-493 993  
Fax +421 356-402 114  
sk@HARTING.com  
www.HARTING.sk

## Slovenia

see Eastern Europe

## South Africa

HellermannTyton Pty Ltd.  
Private Bag X158 Rivonia 2128  
34 Milky Way Avenue  
Linbro Business Park 2065  
Johannesburg  
Phone +27(0)11879-6600  
Fax +27(0)11879-6606  
sales.jhb@hellermann.co.za

## Spain

HARTING Iberia S.A.  
Avda. Josep Tarradellas 20-30 4º 6ª  
E-08029 Barcelona  
Phone +34 93 363 84 75  
Fax +34 93 419 95 85  
es@HARTING.com  
www.HARTING.es

## Sweden

HARTING AB  
Gustavslundsvägen 141 B 4tr  
S-167 51 Bromma  
Phone +46 8 445 7171  
Fax +46 8 445 7170  
se@HARTING.com  
www.HARTING.se

## Switzerland

HARTING AG  
Industriestrasse 26  
CH-8604 Volketswil  
Phone +41 44 908 20 60  
Fax +41 44 908 20 69  
ch@HARTING.com  
www.HARTING.ch

## Taiwan

HARTING Taiwan Ltd.  
Room 1, 5/F  
495 GuangFu South Road  
RC-110 Taipei, Taiwan  
Phone +886 2 2758 6177  
Fax +886 2 2758 7177  
tw@HARTING.com  
www.HARTING.com.tw

## Tajikistan

see Eastern Europe

## Thailand

see Malaysia

## Turkey

HARTING TURKEI Elektronik Ltd. Şti.  
Barbaros Mah. Dereboyu Cad.  
Fesleğen Sok.  
Uphill Towers, A-1b Kat:8 D:45  
34746 Ataşehir, İstanbul  
Phone +90 216 688 81 00  
Fax +90 216 688 81 01  
tr@HARTING.com  
www.HARTING.com.tr

## Turkmenistan

see Eastern Europe

## Ukraine

see Eastern Europe

## United Arab Emirates

HARTING Middle East FZ-LLC  
Knowledge Village, Block 2A, Office F72  
P.O. Box 454372, Dubai  
United Arab Emirates  
Phone +971 4 453 9737  
Fax +971 4 439 0339  
uae@HARTING.com  
www.HARTING.ae

## USA

HARTING Inc. of North America  
1370 Bowes Road  
USA-Elgin, Illinois 60123  
Phone +1 (877) 741-1500 (toll free)  
Fax +1 (866) 278-0307 (Inside Sales)  
us@HARTING.com  
www.HARTING-USA.com

## Uzbekistan

see Eastern Europe

## Vietnam

see Singapore

## Distributors – worldwide



Farnell:  
www.farnell.com

RS Components:  
www.rs-components.com

Mouser Electronics:  
www.mouser.com

Digi-Key Corporation:  
www.digikey.com

## Other countries and general contact



HARTING Electric GmbH & Co. KG  
P.O. Box 1473, D-32328 Espelkamp  
Phone +49 5772 47-97100  
Fax +49 5772 47-495  
electric@HARTING.com



**Pushing Performance**

[www.HARTING.com](http://www.HARTING.com)